




PALAVRAS CHAVES/KEY WORDS
INTERPLANETARY-MAGNETOSPHERE COUPLING
GEOMAGNETIC ACTIVITY
SUBSTORMS

AUTORIZADA POR/AUTHORIZED BY
V.W.J.H. Kirchhoff
Director Space Atmos. Sci.

AUTOR RESPONSÁVEL
 RESPONSIBLE AUTHOR

Walter D. Gonzalez

DISTRIBUIÇÃO/DISTRIBUTION
 INTERNA / INTERNAL
 EXTERNA / EXTERNAL
 RESTRITA / RESTRICTED

REVISADA POR/REVISED BY

Osmar Pinto Jr.
Editor Space Atmos. Sci.

CDU/UDC
550:3

DATA / DATE
Sept. 1988

TÍTULO/TITLE	PUBLICAÇÃO Nº PUBLICATION NO INPE-4699-PRE/1384
	COMMENT ON "LARGE-SCALE RESPONSE OF THE MAGNETOSPHERE TO A SOUTHWARD TURNING OF THE INTERPLANETARY MAGNETIC FIELD" BY J.A. SAUVAUD ET AL.
AUTORES/AUTHORSHIP	W.D. Gonzalez L.C. Gonzalez B.T. Tsurutani

ORIGEM
ORIGIN
DGE

PROJETO
PROJECT
MAGNET

Nº DE PAG.
NO OF PAGES
09

ULTIMA PAG.
LAST PAGE
07

VERSÃO
VERSION

Nº DE MAPAS
NO OF MAPS

RESUMO - NOTAS / ABSTRACT - NOTES

Using ISEE-3 observations of the interplanetary plasma and magnetic field it is shown that the substorm reported by Sauvaud et al. (1987), that occurred at 22:40 UT of March 4, 1979, was directly driven by the solar wind. This result was found when the solar wind ram pressure is taken into account in the solar wind-magnetosphere coupling function and is in conflict with the result found by Sauvaud et al., who claimed that the energy necessary to drive this substorm came from a magnetospheric reservoir (stored energy).

OBSERVAÇÕES / REMARKS
 This work was published in J. Geophys. Res., vol. 94, nº A2, 1547, 1989.

COMMENT ON "LARGE-SCALE RESPONSE OF THE MAGNETOSPHERE TO A SOUTHWARD TURNING OF THE INTERPLANETARY MAGNETIC FIELD" BY J. A. SAUVAUD ET AL.

W. D. Gonzalez and A. L. C. Gonzalez
Instituto de Pesquisas Espaciais, São Jose dos Campos, São Paulo, Brazil

B. T. Tsurutani

Jet Propulsion Laboratory, California Institute of Technology, Pasadena

Sauvaud et al. [1987] performed a study of the overall magnetospheric response to a southward turning of the interplanetary magnetic field (IMF) on March 4, 1979, by using a set of coordinated measurements in the solar wind, in the magnetotail, at geostationary orbit, in the auroral ionosphere, and on the ground.

For such a southward IMF episode, that lasted for about 1 hour and 40 min, the authors showed that the magnetosphere responds in general without any appreciable delay to changes in B_z (Z component of the IMF in solar magnetospheric coordinates). They also showed that two out of the three main AE (auroral electrojet index) intensifications of this time interval closely followed notable intensifications in the $|-B_z|$ amplitude. Their Figure 15 shows these points, in which one can observe that the first two AE intensifications at about 2150 UT and 2220 UT followed the $|-B_z|$ intensifications at about 2135 UT and 2200 UT, respectively. Furthermore, they claimed that the interplanetary coupling function ϵ followed closely the behavior of B_z , thus explaining the magnetospheric energization and the fairly rapid driving of the first couple of AE intensifications.

However, the authors also showed that the most intense substorm of their studied interval, for which the corresponding AE intensification occurred around 2240 UT, did not have a corresponding intensification in $|-B_z|$, or in ϵ , as observed in their Figure 15. Therefore, they concluded that this substorm was not directly driven by the solar wind, but that the required energy was provided by a magnetospheric reservoir (stored energy).

Note that Sauvaud et al. reached such a fundamental conclusion because the coupling function ϵ did not show any appreciable intensification prior to the occurrence of the main substorm, in contrast to the ϵ intensifications prior to the previous two AE events.

Our point in this comment is that the coupling function ϵ does not necessarily always represent well the magnetospheric energization due to possible combinations of solar wind parameters that are expected to influence the coupling. Several recent works [e.g., Murayama, 1986; Bargatze et al., 1986; Gonzalez, 1986] suggest that in some cases, other coupling functions can represent the solar wind-magnetospheric energization better than ϵ . In fact, we show that this seems to have been the case during the interval studied by Sauvaud et al.

As already claimed by Gonzalez and Gonzalez [1981, 1984], the function ϵ is pressure independent. Thus notable changes in the solar wind ram pressure do not have a clear counterpart in the ϵ expression, apart from a dependence on the first power of the solar wind speed. For the interval studied by Sauvaud et al., we have plotted on the top panel of Figure 1 the solar wind density (N) and speed (V) values. Apart from the data gap, the N and V values during the main AE event, labeled 3 in Figure 1, were correspondingly larger than those during the previous (1 and 2) AE events. This fact prompted us to look into a solar wind ram pressure modulation of the magnetospheric coupling during this time interval.

From possible coupling functions which can represent better than ϵ such pressure modulation (W. D. Gonzalez et al., Solar wind-magnetosphere coupling during intense magnetic storms (1978-1979), submitted to Journal of Geophysical Research, 1988; hereinafter W. D. Gonzalez et al., 1988), we selected the function $F = p^{1/2} V B_z \sin^4(\theta/2)$, where p is the solar wind ram pressure and θ is the same angle as in ϵ . This expression is similar to that given by Bargatze et al. [1986], although with a stronger dependence on the pressure, as suggested by Murayama [1986]. One observes in Figure 1 that this function describes better than ϵ the three intensifications of AE and, most important of all, it also seems to explain the direct solar wind energization of the main substorm, AE event 3, of the interval studied by Sauvaud et al. Furthermore, the correlation coefficient obtained between F and AE for the whole interval was close to 0.8, whereas that obtained between ϵ and AE was around 0.65. From this figure one also observes that the magnetospheric response to ram pressure changes in the solar wind was fairly rapid, within a time lag of about 10 to 15 min.

W. D. Gonzalez et al. (1988) have also shown that coupling functions of the F type, namely with the $p^{1/2}$ modulation, describe better than other functions (including ϵ) the ring current

energization during intervals with large ram pressure variations in the solar wind. In addition, among recent experimental evidence, Tsurutani et al. [1985] have also claimed that ram pressure changes in the solar wind can have considerable impact on the development of substorms.

We conclude that the main substorm studied by Sauvaud et al. [1987] seems to have been driven by the solar wind. One important parameter was the solar wind ram pressure, which is not well taken into account by the coupling function ϵ . This conclusion is in conflict with that reached by Sauvaud et al., who claimed that the energy necessary to drive the main substorm mainly came from a magnetospheric reservoir (energy previously stored).

Acknowledgments. The research done in this paper was partially supported by the Fundo Nacional de Desenvolvimento Científico e Tecnológico under contract FINEP537/CT and partially by a contract of the Jet Propulsion Laboratory, California Institute of Technology, with the National Aeronautics and Space Administration. The authors would like to sincerely thank E. J. Smith and S. J. Bame for the ISEE 3 magnetic field and plasma data used in this work.

References

- Bargatze, L. F., R. L. McPherron and D. N. Baker, Solar wind-Magnetosphere energy input functions, in Solar Wind-Magnetosphere Coupling, edited by Y. Kamide and J. A. Slavin, p. 101, D. Reidel, Hingham, Mass., 1986.
- Gonzalez, W. D., Electric field and energy transfer by magnetopause reconnection, in Solar Wind-Magnetosphere Coupling, edited by Y. Kamide and J. A. Slavin, p. 315, D. Reidel, Hingham, Mass., 1986.
- Gonzalez, W. D. and A. L. C. Gonzalez, Solar wind energy and electric field transfer to the Earth's magnetosphere via magnetopause reconnection, Geophys. Res. Lett. **8**, 265, 1981.
- Gonzalez, W. D. and A. L. C. Gonzalez, Energy transfer by magnetopause reconnection and the substorm parameter ϵ , Planet. Space Sci., **32**, 1007, 1984.
- Murayama, T., Coupling function between the solar wind and the Dst index, in Solar Wind-Magnetosphere Coupling, edited by Y. Kamide and J. A. Slavin, p. 119, D. Reidel, Hingham, Mass., 1986.

Sauvaud, J. A., et al. Large-scale response of the magnetosphere to a southward turning of the interplanetary magnetic field, J. Geophys. Res., 92, 2365, 1987.

Tsurutani, B. T., J. A. Slavin, Y. Kamide, R. D. Zwickl, J. H. King and C. T. Russell, Coupling between the solar wind and the magnetosphere: CDAW 6, J. Geophys. Res., 90, 1191, 1985.

FIGURE CAPTIONS

Fig. 1. (Top) Solar wind density (N) and speed (V), as measured by ISEE 3. (Second from top) B_z component (in solar magnetic coordinates) of the IMF, as measured by ISEE 3. (Third from top) Coupling functions F and ϵ computed at the magnetopause. (Bottom) AE index with the events 1, 2 and 3 discussed in the text.

Paragraph to be inserted between paragraphs 7 and 8:

When B_z is interchanged with the IMF amplitude B in the coupling function F , the behavior of the function is very much similar to that involving B_z (shown in Figure 1), although its correlation coefficient with AE is lower (0.71) but still higher than that obtained for ϵ . However, the physical meaning of the function involving B could be more in accord with standard reconnection models than that in terms of B_z . This latter point still needs a closer study.




Fig. 1. (Top) Solar wind density (N) and speed (V), as measured by ISEE 3. (Second from top) B_z component (in solar magnetic coordinates) of the IMF, as measured by ISEE 3. (Third from top) Coupling functions F and E computed at the magnetopause. (Bottom) AE index with the events 1, 2 and 3 discussed in the text.



PROPOSTA PARA
PUBLICAÇÃO

- DISSERTAÇÃO
- TESE
- RELATÓRIO
- OUTROS

TÍTULO

COMMENTS ON "LARGE SCALE RESPONSE OF THE MAGNETOSPHERE TO A SOUTHWARD TURNING OF THE INTERPLANETARY MAGNETIC FIELD BY J.A. SAUVAUD ET AL."

IDENTIFICAÇÃO

AUTOR(ES)

W.D. Gonzalez -A.
A.L.C. Gonzalez
B.T. Tsurutani

ORIENTADOR

DISS. OU TESE

CO-ORIENTADOR

DIVULGAÇÃO

EXTERNA INTERNA RESTRITA

EVENTO/MEIO

CONGRESSO REVISTA OUTROS

LIMITE

DEFESA

CURSO

ORGAO

___/___/___

___/___/___

NOME DO REVISOR

Osmar Pinto Junior

NOME DO RESPONSÁVEL

José Marques da Costa

REV. TÉCNICA

RECEBIDO: 10/8/88
DEVOLVIDO: 12/8/88

ASSINATURA

APROVADO
 SIM
 NÃO

DATA

___/___/___

ASSINATURA

APROVAÇÃO

REV. LINGUAGEM

Nº

PRIOR.

RECEBIDO

NOME DO REVISOR

___/___/___

OS AUTORES DEVEM MENCIONAR NO VERSO INSTRUÇÕES ESPECÍFICAS, ANEXANDO NORMAS, SE HOUVER

DATILOGRAFIA

PÁG.

DEVOLVIDO

ASSINATURA

___/___/___

RECEBIDO

DEVOLVIDO

NOME DA DATILOGRAFA

___/___/___

Nº DA PUBLICAÇÃO:

PÁG.:

CÓPIAS:

Nº DISCO:

LOCAL:

AUTORIZO A PUBLICAÇÃO

SIM

NÃO

___/___/___

DIRETOR

OBSERVAÇÕES E NOTAS

O trabalho será submetido para revista Journal of Geophysical Research

Autorizo a dispensa de Revisão de Linguagem.

JOSÉ MARQUES DA COSTA
Chefe do Departamento de Geofísica
e Aeronomia DCA



PALAVRAS CHAVES/KEY WORDS

AUTORES/AUTHORS: MAGNETOSPHERIC SUBSTORMS
INTERPLANETARY-MAGNETOSPHERE COUPLING

AUTORIZADA POR/AUTHORIZED BY

Marco Antonio Raupp
General Director

AUTOR RESPONSÁVEL
RESPONSIBLE AUTHOR

W. Gonzalez
Walter D. Gonzalez -A.

DISTRIBUIÇÃO/DISTRIBUTION

INTERNA / INTERNAL
 EXTERNA / EXTERNAL
 RESTRITA / RESTRICTED

REVISADA POR / REVISED BY

Osmar Pinto Junior
Osmar Pinto Junior

CDU/UDC

523.4-854

DATA / DATE

September 1988

TÍTULO/TITLE	<p>PUBLICAÇÃO Nº PUBLICACION NO</p> <p>INPE-4699-PRE/1384</p> <p>"COMMENTS ON "LARGE SCALE RESPONSE OF THE MAGNETOSPHERE TO A SOUTHWARD TURNING OF THE INTERPLANETARY MAGNETIC FIELD BY J.A. SAUVAUD ET AL."</p>
	<p>AUTORES/AUTHORSHIP</p> <p>W.D. Gonzalez -A. A.L.C. Gonzalez -A. B.T. Tsurutani</p>

ORIGEM
ORIGIN

DGA

PROJETO
PROJECT

MAGNET

Nº DE PAG.
NO OF PAGES

11

ULTIMA PAG.
LAST PAGE

10

VERSÃO
VERSION

Nº DE MAPAS
NO OF MAPS

RESUMO - NOTAS / ABSTRACT - NOTES

In these comments we argue that the Sauvaud et al (1987) conclusion about the unloading state of the magnetosphere, during a negative IMF-B_z episode, may not necessarily be so if one takes into account the solar wind-ram pressure variations in the coupling function that describes the magnetospheric energization.

OBSERVAÇÕES / REMARKS

This work was partially supported by the "Fundo Nacional de Desenvolvimento Científico e Tecnológico" under contract FINEP-537/CT. This work will be submitted to Journal of Geophysical Research.